



## S8VK-C12024

Book type power supply, Lite, 120 W, 24VDC, 5A, DIN rail mounting

# Specifications

Type	DIN-rail
Mounting method	DIN rail
Phase	Single
Power output	120 W
Efficiency	89 %
Output voltage	24 V
Rated output current	5 A
Temperature range	-25-60 °C
Terminal type	Screw
Communication port(s)	None
Alarm function	-
Number of output branches	1
Rated supply voltage at AC 50 Hz	100-240 V
Allowable supply voltage AC	85-264 V
Allowable supply voltage DC	90-350 V
Product Width (unpacked)	40 mm
Product Height (unpacked)	125 mm
Product Depth (unpacked)	113 mm

# Accessories

S82Y-VK10F

Front-mounting bracket for S8VK (120, 240 and 480 W models)

# Related products



## Electronic Circuit Breaker

S8V-CP - Electronic Circuit Breaker

# Downloads

CAD Library



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB



### Perfect Power Supply Solutions Brochure

EN PDF 807 KB



### S8VK-C Switch Mode Power Supply Datasheet

EN PDF 4.74 MB

#### TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 24 March, 2025. Click here for [terms of use](#).

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU